



PRODUCT CATALOG

EntegritySmart.com Sales@EntegritySmart.com 717-327-4244

VPSLC

Cylindrical Lock

Entegrity Smart Property Systems

BLUETOOTH ACCESS CONTROL





KEY





EXTERIOR VIEW




INTERIOR VIEW

PHONE FOB

Features

- Security Grade: ANSI Grade 1
- Fire Door Rating: UL/cUL 10c 3-hour
- Indoor/Outdoor Rating: IP54
- Battery Life: Up to 2 years (4 AA Batteries, not included)
- CC A117 and ADA compliant
- Key override for emergency unlock
- Encrypted Bluetooth security
- Inside Lock/Unlock: Unimpeded egress
- Outside Lock/Unlock: Momentary unlock by smartkey or physical key
- Door Prep: Standard 161
- Backset: 2-3/4" or 2-3/8"
- Door Thickness: 1-3/8" to 2"

Architectural Finishes



Lever Designs



PORTFOLIO – P

SILHOUETTE – S

How to Order

SERIES	LEVER*	FINISH*	HANDING	BACKSET	STRIKE
VPSLC	P S	S B N	RH** LH	1 - 2-3/4" 1x - 2-3/8"	ANSI - ANSI FL - Full Lip (residential)

*Custom lever designs and finishes available by special order.

**Handed but field reversible.



Door/Gate Controller

Entegrity Smart Property Systems

BLUETOOTH ACCESS CONTROL





Features

- Controls door strikes, mag locks or gates
- Indoor/Outdoor Rating: IP54
- Operating Temperature: -40° to +85° C (-40° to +185°F)
- Power Input: 12VDC, 20mA average
- Relay: 750mA 12-24 VAC/VDC
- Encrypted Bluetooth security
- Dimensions: 4.0 x 1.3 x 0.8 in (101 x 34 x 20 mm)
- Weight: 1.6 oz (46 grams)
- Certifications & Approvals FCC & CE

How to Order

SERIES VP2





FRONT VIEW

BACK VIEW



VPDB

Keyless Deadbolt

Entegrity Smart Property Systems


BLUETOOTH ACCESS CONTROL





Features

- Security Grade: ANSI Grade 2
- Fire Door Rating: UL 10c 45-minute
- Indoor/Outdoor Rating: IP55
- Operating Temperature: -40° to +70° C (-40° to +158°F)
- Battery Life: Up to 2 years (4 AA Batteries, not included)
- 9V Battery Backup
- ADA compliant
- Encrypted Bluetooth security
- Inside Lock/Unlock: Thumb turn
- Outside Lock/Unlock: Smartkey/thumb turn
- Door Prep: Bore 1" / 1-1/8" x 2-3/4" rounded strike plate / 1" X 2 ¼ rounded faceplate
- Backset: Adjustable (2-3/4" and 2-3/8")
- Door Thickness: Adjustable 1-3/8" to 1-3/4"
- Material: All-metal chassis and escutcheons



How to Order

SERIES	FINISH	BACKSET
VPDB	N B	ADJ





INTERIOR VIEW





Entegrity Smart Property Systems Phone: 717-327-4244 Email: Sales@EntegritySmart.com Website: EntegritySmart.com